

Order No. 138339

Page 1/2

Product Range Hood

Applicant Best Spa  
Via Giuseppe Verdi M. 34, I-60043 Cerreto d'Esi  
Italy

Manufacturer Best Spa  
Via Giuseppe Verdi M. 34, I-60043 Cerreto d'Esi  
Italy

Factory ☒ See page 2

Ratings 131-580W 220-230V ~ 50Hz

Trade mark **BEST 96**

Model / Type Ref. BF-4 Family

Principal characteristics Cl. I. For explanation of the model name refers to the attachment  
☐ See next page(s)

A sample of the product was tested and found to be in conformity with

|      |                                   |
|------|-----------------------------------|
| HOUS | EN 60335-1:2002;A11;A1;A12;A2;A13 |
|      | EN 60335-2-31:2003;A1             |
| EMF  | EN 50366:2003;A1                  |
| EMC  | EN 55014-1:2006                   |
|      | EN 55014-2:1997;A1                |
|      | EN 55015:2006                     |
|      | EN 61000-3-2:2006                 |
|      | EN 61000-3-3:2008                 |
|      | EN 61547:1995; A1                 |

Replaces This certificate replaces previous certificate No. P09210933, due to the correction of the main report and adding some new models in the family

Validity This certificate documents conformity with the standards shown, and also applies as license for use of Nemkos name and certification mark. The certificate and license is valid as long as the applicable conditions are complied with, and provided that any changes to the product are notified to Nemko for acceptance prior to implementation.  
New standards or amendments to the standards may imply that the product design must be updated and/or that re-testing and re-certification is necessary.

Additional information ☐ See next page(s)

Additional model(s) ☐ See next page(s)

The above mentioned certified equipment complies with current regulatory requirements regarding electrical safety and electromagnetic compatibility (EMC) in Norway and other EU/EEA member states.

Date of issue 23-11-2009



Signature

Juan Z. Kleppenes

Certification Department

Nemko AS

Office address

Internet

Telephone

Fax

P.O. Box 73, Blindern

Gaustadalléen 30

www.nemko.com

+47 22 96 03 30

+ 47 22 96 05 50

N-0314 Oslo, Norway

Oslo

Enterprise number:

NO 974404532

Factories:

Best Spa  
Via Giuseppe Verdi M. 34  
I-60043 Cerreto d'Esi  
Italy

Best Poland z.o.o.  
ul. Pyskowicka  
41-807 Zabrze  
Poland

Date of issue 23-11-2009



Signature

Juan Z. Kleppenes

Certification Department

Nemko AS

P.O. Box 73, Blindern

N-0314 Oslo, Norway

Office address

Gaustadalléen 30

Oslo

Internet

[www.nemko.com](http://www.nemko.com)

Telephone

+47 22 96 03 30

Enterprise number:

Fax

+ 47 22 96 05 50

NO 974404532

# Attachment

Order No 138339

Example of type reference (similar for all models with this type of names)

## KK 020 L1 L2 PU

1 2 3 4 5

1 : KK = Wall mounting range hood

2 : 020 = aesthetic of range hood

3 : type of motor (S= small, M= medium, L= large) + number of motor/s (1 or 2)

4 : type of lighting (A= halogen lamp, L= incandescent lamp, P=fluorescent lamp ) + number of lamp/s

(1 or 2)

5 : type of control (PU = push button, SL = Slider switch, EL = Electronic switch, ER = Electronic rearlight, ED = electronic display)

For the models: K20..A , IS 30..C, IS 30..A, K 31..D, K 31..C, IS 30..B, K 30..F, K 30..D, K 30..E, K 30..A, IS 30.. S1 A4 ED,  
.. = 04,20,35,39 indicating minor changes in aesthetics only.

For the models: K31..A, KT 30..E, KHC ASC 30..A,

.. =,20,35,39 indicating minor changes in aesthetics only.

For the models: K30..G, KK 0.. M1 P PU, KK 0.. L1 A2 PU,  
.. =04,20,29,35,39 indicating minor changes in aesthetics only.

For the model: K30..B  
.. = 04,20,29,35,39 indicating minor changes in aesthetics only.

| 0.  | Type code:        | Rated power:<br>(W) | Rated<br>voltage:<br>(V AC) | Frequency:<br>(Hz) | Electrical safety<br>class: (I ) |
|-----|-------------------|---------------------|-----------------------------|--------------------|----------------------------------|
| 1.  | ES 24 S1 A2 SL    | 175                 | 230-240                     | 50                 | I                                |
| 2.  | ES 24 M1 A2 SL    | 195                 | 230-240                     | 50                 | I                                |
| 3.  | ES 24 L1 A2 EL    | 290                 | 230-240                     | 50                 | I                                |
| 4.  | ES 24 L1 A2 ER    | 290                 | 230-240                     | 50                 | I                                |
| 5.  | ES 24 T1 A2 EL    | 440                 | 230-240                     | 50                 | I                                |
| 6.  | KK 020 L1 A2 PU   | 290                 | 230-240                     | 50                 | I                                |
| 7.  | KK 020 L1 P1 PU   | 261                 | 230-240                     | 50                 | I                                |
| 8.  | KK 020 L1 L2 PU   | 330                 | 230-240                     | 50                 | I                                |
| 9.  | KK 020 S1 L SL    | 210                 | 230-240                     | 50                 | I                                |
| 10. | KK 030 L1 A EL    | 230                 | 230-240                     | 50                 | I                                |
| 11. | ES 425 L1 A2 SL A | 230                 | 230-240                     | 50                 | I                                |

# Attachment

Order No 138339

|     |                     |     |         |    |   |
|-----|---------------------|-----|---------|----|---|
| 12. | GI 200 L1 A2 EL     | 290 | 230-240 | 50 | I |
| 13. | GI 201 L1 A2 EL     | 290 | 230-240 | 50 | I |
| 14. | KK 039 L1 A2 EL A   | 230 | 230-240 | 50 | I |
| 15. | IS 30..C            | 220 | 230-240 | 50 | I |
| 16. | K 30..G             | 180 | 230-240 | 50 | I |
| 17. | P 580 L1 A2 EL      | 290 | 230-240 | 50 | I |
| 18. | ES 425.B L1 A2 SL   | 290 | 230-240 | 50 | I |
| 19. | CK 2000 L2 A2 ED    | 540 | 230-240 | 50 | I |
| 20. | CI 2000 L2 A4 ED    | 580 | 230-240 | 50 | I |
| 21. | K 24 SL S           | 215 | 230-240 | 50 | I |
| 22. | K 30..B             | 290 | 230-240 | 50 | I |
| 23. | IS 30..A            | 330 | 230-240 | 50 | I |
| 24. | KK ASC 024 S1 A2 EL | 175 | 230-240 | 50 | I |
| 25. | ES 417 S1 P1 BA     | 146 | 230-240 | 50 | I |
| 26. | ES 417 L1 P1 BA     | 261 | 230-240 | 50 | I |
| 27. | ES 417 S1 A2 BA     | 175 | 230-240 | 50 | I |
| 28. | ES 417 L1 A2 BA     | 290 | 230-240 | 50 | I |
| 29. | P ASC 580           | 290 | 230-240 | 50 | I |
| 30. | P 580 XL1 A2 EL     | 390 | 230-240 | 50 | I |
| 31. | CK 2000 L1 A2 ER    | 290 | 230-240 | 50 | I |
| 32. | CK 2000 L1 A2 ED    | 290 | 230-240 | 50 | I |
| 33. | CK 2000 L2 A2 ER    | 540 | 230-240 | 50 | I |
| 34. | CI 2000 L2 A4 ER    | 580 | 230-240 | 50 | I |
| 35. | CI 2000 L1 A4 ER    | 330 | 230-240 | 50 | I |
| 36. | CI 2000 L1 A4 ED    | 330 | 230-240 | 50 | I |
| 37. | 89-K4 S             | 210 | 230-240 | 50 | I |
| 38. | 89-040 L            | 205 | 230-240 | 50 | I |
| 39. | ES 325 L1 N SC      | 205 | 230-240 | 50 | I |
| 40. | KK 004 L2 A SC      | 420 | 230-240 | 50 | I |
| 41. | KK 042 L2 A SC      | 420 | 230-240 | 50 | I |
| 42. | IS 004 L1 A2 SC     | 230 | 230-240 | 50 | I |
| 43. | IS 004 L1 A4 SC     | 270 | 230-240 | 50 | I |
| 44. | KK0.. M1 P PU       | 131 | 230-240 | 50 | I |
| 45. | KK 020 M1 L PU      | 200 | 230-240 | 50 | I |
| 46. | K ANGOLO F          | 135 | 230-240 | 50 | I |
| 47. | KK 004 L1 A2 SC     | 230 | 230-240 | 50 | I |
| 48. | KK 015 L1 A2 SC     | 230 | 230-240 | 50 | I |
| 49. | 89-340 LSIB         | 235 | 230-240 | 50 | I |

# Attachment

Order No 138339

|     |                     |     |         |    |   |
|-----|---------------------|-----|---------|----|---|
| 50. | KK 0.. L1 A2 PU     | 230 | 230-240 | 50 | I |
| 51. | IN 195 L2 A2 PU A   | 420 | 230-240 | 50 | I |
| 52. | IN 195 L1 A2 PU A   | 230 | 230-240 | 50 | I |
| 53. | IN 195 L1 L2 PU A   | 270 | 230-240 | 50 | I |
| 54. | IS 020 L1 P PU      | 212 | 230-240 | 50 | I |
| 55. | KK 035 L1 A EL      | 230 | 230-240 | 50 | I |
| 56. | IN 195 L2 A2 EL A   | 420 | 230-240 | 50 | I |
| 57. | IN 195 L1 A2 EL A   | 230 | 230-240 | 50 | I |
| 58. | KK 020 M1 L SL      | 270 | 230-240 | 50 | I |
| 59. | KK 029 S1 L PU      | 210 | 230-240 | 50 | I |
| 60. | KK 035 S1 L PU      | 210 | 230-240 | 50 | I |
| 61. | ES 440 L1 A2 SL A   | 230 | 230-240 | 50 | I |
| 62. | ES 440 L1 P1 SL A   | 201 | 230-240 | 50 | I |
| 63. | ES 425 L1 P1 SL A   | 201 | 230-240 | 50 | I |
| 64. | ES 440 L1 P1 BA A   | 201 | 230-240 | 50 | I |
| 65. | ES 440 L1 A2 BA A   | 230 | 230-240 | 50 | I |
| 66. | ES 425 L1 A2 BA A   | 230 | 230-240 | 50 | I |
| 67. | ES 425 L1 P1 BA A   | 201 | 230-240 | 50 | I |
| 68. | KK 024 S1 A2 SL     | 175 | 230-240 | 50 | I |
| 69. | KK 024 S1 A2 PU     | 175 | 230-240 | 50 | I |
| 70. | K 2456              | 175 | 230-240 | 50 | I |
| 71. | KK 024 L1 L2 SL     | 330 | 230-240 | 50 | I |
| 72. | KK 024 L1 L2 PU     | 330 | 230-240 | 50 | I |
| 73. | KK 024 L1 A2 SL     | 290 | 230-240 | 50 | I |
| 74. | KK 024 L1 A2 PU     | 290 | 230-240 | 50 | I |
| 75. | K 31..D             | 330 | 230-240 | 50 | I |
| 76. | K 31..C             | 290 | 230-240 | 50 | I |
| 77. | IN 195.B L1 A2 PU A | 290 | 230-240 | 50 | I |
| 78. | IS 30..B            | 330 | 230-240 | 50 | I |
| 79. | K 30..F             | 195 | 230-240 | 50 | I |
| 80. | K 30..D             | 290 | 230-240 | 50 | I |
| 81. | IN 197 S1 L2 EC     | 220 | 230-240 | 50 | I |
| 82. | P 562 S1 A2 VC      | 180 | 230-240 | 50 | I |
| 83. | KT 30..E            | 440 | 230-240 | 50 | I |
| 84. | KT 3020 F           | 440 | 230-240 | 50 | I |
| 85. | KT 3039 F           | 440 | 230-240 | 50 | I |
| 86. | KT 2273 F           | 440 | 230-240 | 50 | I |
| 87. | IST 3020 E          | 480 | 230-240 | 50 | I |

# Attachment

Order No 138339

|      |                     |     |         |    |   |
|------|---------------------|-----|---------|----|---|
| 88.  | IST 3020 F          | 480 | 230-240 | 50 | I |
| 89.  | IST 3039 E          | 480 | 230-240 | 50 | I |
| 90.  | IST 3039 F          | 480 | 230-240 | 50 | I |
| 91.  | GI 299 E            | 440 | 230-240 | 50 | I |
| 92.  | P 580 L1 A2 ER      | 290 | 230-240 | 50 | I |
| 93.  | P 580 L1 L2 EL      | 290 | 230-240 | 50 | I |
| 94.  | KK 273 L1 A2 EL     | 290 | 230-240 | 50 | I |
| 95.  | KK 274 L1 A2 EL     | 290 | 230-240 | 50 | I |
| 96.  | KK 024 L1 A2 ER     | 290 | 230-240 | 50 | I |
| 97.  | GI 203 L1 A2 EL     | 290 | 230-240 | 50 | I |
| 98.  | K ASC 9558          | 175 | 230-240 | 50 | I |
| 99.  | K ASC 30..A         | 290 | 230-240 | 50 | I |
| 100. | IS ASC 30..A        | 330 | 230-240 | 50 | I |
| 101. | KK ASC 024 L1 A2 EL | 290 | 230-240 | 50 | I |
| 102. | KHC ASC 30..A       | 290 | 230-240 | 50 | I |
| 103. | P 781               | 290 | 230-240 | 50 | I |
| 104. | P 591 L1 A2 EL      | 390 | 230-240 | 50 | I |
| 105. | K 30..E             | 180 | 230-240 | 50 | I |
| 106. | K 30..A             | 210 | 230-240 | 50 | I |
| 107. | P 581 M1 A2 EL      | 195 | 230-240 | 50 | I |
| 108. | P 560 M1 A2 EL      | 195 | 230-240 | 50 | I |
| 109. | P 551 S1 A2 PU      | 175 | 230-240 | 50 | I |
| 110. | ES 24 L1 A2 SL      | 290 | 230-240 | 50 | I |
| 111. | IS 30.. S1 A4 ED    | 220 | 230-240 | 50 | I |
| 112. | K 9586              | 290 | 230-240 | 50 | I |
| 113. | IN 197 L1 A2 EC     | 290 | 230-240 | 50 | I |
| 114. | K 9993              | 290 | 230-240 | 50 | I |
| 115. | IN 197 XL1 A2 ER    | 390 | 230-240 | 50 | I |
| 116. | KK 500 L1 L3 PU A   | 310 | 230-240 | 50 | I |
| 117. | IS 020 L1 A PU      | 270 | 230-240 | 50 | I |
| 118. | IS ASC 508 L1 A4 ED | 330 | 230-240 | 50 | I |
| 119. | KB 140 L1 A2 PU     | 290 | 230-240 | 50 | I |
| 120. | K 9993 TC           | 290 | 230-240 | 50 | I |
| 121. | KD 9875             | 310 | 230-240 | 50 | I |
| 122. | P 580 M1 A2 SL      | 195 | 230-240 | 50 | I |
| 123. | P 580 B1 A2 SL      | 230 | 230-240 | 50 | I |
| 124. | KB 140 S1 A2 PU     | 175 | 230-240 | 50 | I |
| 125. | P ASC 580 L1 A2 ED  | 290 | 230-240 | 50 | I |

# Attachment

Order No 138339

|      |                     |     |         |    |   |
|------|---------------------|-----|---------|----|---|
| 126. | P 580 L1 A2 ED      | 290 | 230-240 | 50 | I |
| 127. | K 9996 T1           | 430 | 230-240 | 50 | I |
| 128. | IS 508 M1 A4 PU     | 235 | 230-240 | 50 | I |
| 129. | BF4-K 31xx.C        | 290 | 230-240 | 50 | I |
| 130. | P 550 S1 A2 SL      | 175 | 230-240 | 50 | I |
| 131. | P 550 XL1 A2 SL     | 410 | 230-240 | 50 | I |
| 132. | K 9994 TC           | 290 | 230-240 | 50 | I |
| 133. | K 24 PU T           | 215 | 230-240 | 50 | I |
| 134. | K 509 M1 L2 PU      | 270 | 230-240 | 50 | I |
| 135. | KB 700 L1 A2 EL     | 290 | 230-240 | 50 | I |
| 136. | KB 600 L1 A2 TC     | 290 | 230-240 | 50 | I |
| 137. | P 580 T1 A2 EL      | 410 | 230-240 | 50 | I |
| 138. | LANDSCAPE           | 290 | 230-240 | 50 | / |
| 139. | KB ASC 700 L1 A2 EL | 290 | 230-240 | 50 | / |
| 140. | SWING               | 150 | 230-240 | 50 | / |
| 141. | VERTIGO DOUBLE      | 300 | 230-240 | 50 | / |
| 142. | OUTLINE             | 280 | 230-240 | 50 | / |
| 143. | SECRET              | 290 | 230-240 | 50 | / |
| 144. | KK 2235 L1 L2 SL    | 330 | 230-240 | 50 | / |